

## Content of List All the WMI Settings.vbs ( Site 1 )

' Description: Returns a list of WMI settings configured on a computer.

```
strComputer = ""
Set objWMIService = GetObject("winmgmts:"
& "(impersonationLevel=impersonate)!\" & strComputer & "\root\cimv2")

Set colWMISettings = objWMIService.ExecQuery _
("Select * from Win32_WMISetting")

For Each objWMISetting in colWMISettings
Wscript.Echo "Default namespace: " & _
objWMISetting.ASPScriptDefaultNamespace
Wscript.Echo "Backup interval: " & objWMISetting.BackupInterval
Wscript.Echo "Last backup: " & objWMISetting.BackupLastTime
Wscript.Echo "Build version: " & objWMISetting.BuildVersion
Wscript.Echo "Repository directory: " & _
objWMISetting.DatabaseDirectory
Wscript.Echo "Enable events: " & objWMISetting.EnableEvents
Wscript.Echo "High threshold on client objects: " & _
objWMISetting.HighThresholdOnClientObjects
Wscript.Echo "High threshold on events: " & _
objWMISetting.HighThresholdOnEvents
Wscript.Echo "Installation folder: " & _
objWMISetting.InstallationDirectory
Wscript.Echo "Logging folder: " & objWMISetting.LoggingDirectory
Wscript.Echo "Logging level: " & objWMISetting.LoggingLevel
Wscript.Echo "Low threshold on client objects: " & _
objWMISetting.LowThresholdOnClientObjects
Wscript.Echo "Low threshold on events: " & _
objWMISetting.LowThresholdOnEvents
Wscript.Echo "Maximum log file size: " & objWMISetting.MaxLogFileSize
Wscript.Echo "Maximum wait time on client objects: " & _
objWMISetting.MaxWaitOnClientObjects
Wscript.Echo "Maximum wait time on events: " & _
objWMISetting.MaxWaitOnEvents
Wscript.Echo "MOF Self-install folder: " & _
objWMISetting.MofSelfInstallDirectory
For i = 0 to Ubound(objWMISetting.AutorecoverMofs)
Wscript.Echo "Autorecover MOF: " & _
objWMISetting.AutorecoverMofs(i)
Next
Next
```