

Content of List Terminal Service Service Properties.ps1 (Site 1)

```
$strComputer = "."
$collItems = get-wmiobject -class "Win32_TerminalService" -namespace "root\CIMV2" `
-computername $strComputer
foreach ($objItem in $collItems) {
write-host "Accept Pause: " $objItem.AcceptPause
write-host "Accept Stop: " $objItem.AcceptStop
write-host "Caption: " $objItem.Caption
write-host "Checkpoint: " $objItem.CheckPoint
write-host "Creation Class Name: " $objItem.CreationClassName
write-host "Description: " $objItem.Description
write-host "Desktop Interact: " $objItem.DesktopInteract
write-host "Disconnected Sessions: " $objItem.DisconnectedSessions
write-host "Display Name: " $objItem.DisplayName
write-host "Error Control: " $objItem.ErrorControl
write-host "Estimated Session Capacity: " $objItem.EstimatedSessionCapacity
write-host "Exit Code: " $objItem.ExitCode
write-host "Installation Date: " $objItem.InstallDate
write-host "Name: " $objItem.Name
write-host "Path Name: " $objItem.PathName
write-host "Process ID: " $objItem.ProcessId
write-host "Raw Session Capacity: " $objItem.RawSessionCapacity
write-host "Resource Constraint: " $objItem.ResourceConstraint
write-host "Service Specific Exit Code: " $objItem.ServiceSpecificExitCode
write-host "Service Type: " $objItem.ServiceType
write-host "Started: " $objItem.Started
write-host "Start Mode: " $objItem.StartMode
write-host "Start Name: " $objItem.StartName
write-host "State: " $objItem.State
write-host "Status: " $objItem.Status
write-host "System Creation Class Name: " $objItem.SystemCreationClassName
write-host "System Name: " $objItem.SystemName
write-host "Tag ID: " $objItem.TagId
write-host "Total Sessions: " $objItem.TotalSessions
write-host "Wait Hint: " $objItem.WaitHint
write-host
}
}
```