

Content of WMI ConnectionOrientedTransportBindingElement Query.vbs (Site 1)

On Error Resume Next

```
Const wbemFlagReturnImmediately = &h10
Const wbemFlagForwardOnly = &h20
```

```
arrComputers = Array(".")
```

```
For Each strComputer In arrComputers
```

```
WScript.Echo
```

```
WScript.Echo "=====
```

```
WScript.Echo "Computer: " & strComputer
```

```
WScript.Echo "=====
```

```
Set objWMIService = GetObject("winmgmts:\\" & strComputer & "\root\ServiceModel")
```

```
Set collItems = objWMIService.ExecQuery("SELECT * FROM ConnectionOrientedTransportBindingElement", "WQL", _
wbemFlagReturnImmediately + wbemFlagForwardOnly)
```

```
For Each objItem In collItems
```

```
WScript.Echo "ChannelInitializationTimeout: " & WMIDateStringToDate(objItem.ChannelInitializationTimeout)
```

```
WScript.Echo "ConnectionBufferSize: " & objItem.ConnectionBufferSize
```

```
WScript.Echo "HostNameComparisonMode: " & objItem.HostNameComparisonMode
```

```
WScript.Echo "ManualAddressing: " & objItem.ManualAddressing
```

```
WScript.Echo "MaxBufferPoolSize: " & objItem.MaxBufferPoolSize
```

```
WScript.Echo "MaxBufferSize: " & objItem.MaxBufferSize
```

```
WScript.Echo "MaxOutputDelay: " & WMIDateStringToDate(objItem.MaxOutputDelay)
```

```
WScript.Echo "MaxPendingAccepts: " & objItem.MaxPendingAccepts
```

```
WScript.Echo "MaxPendingConnections: " & objItem.MaxPendingConnections
```

```
WScript.Echo "MaxReceivedMessageSize: " & objItem.MaxReceivedMessageSize
```

```
WScript.Echo "Scheme: " & objItem.Scheme
```

```
WScript.Echo "TransferMode: " & objItem.TransferMode
```

```
WScript.Echo
```

```
Next
```

```
Next
```

```
Function WMIDateStringToDate(dtmDate)
```

```
WScript.Echo dtm:
```

```
WMIDateStringToDate = CDate(Mid(dtmDate, 5, 2) & "/" & _
```

```
Mid(dtmDate, 7, 2) & "/" & Left(dtmDate, 4) _
```

```
& " " & Mid (dtmDate, 9, 2) & ":" & Mid(dtmDate, 11, 2) & ":" & Mid(dtmDate,13, 2))
```

```
End Function
```