

Content of WMI HttpsTransportBindingElement Query.vbs (Site 1)

On Error Resume Next

```
Const wbemFlagReturnImmediately = &h10
Const wbemFlagForwardOnly = &h20
```

```
arrComputers = Array(".')
```

```
For Each strComputer In arrComputers
```

```
WScript.Echo
```

```
WScript.Echo "=====
```

```
WScript.Echo "Computer: " & strComputer
```

```
WScript.Echo "=====
```

```
Set objWMIService = GetObject("winmgmts:\\" & strComputer & "\root\ServiceModel")
```

```
Set collItems = objWMIService.ExecQuery("SELECT * FROM HttpsTransportBindingElement", "WQL", _
wbemFlagReturnImmediately + wbemFlagForwardOnly)
```

```
For Each objItem In collItems
```

```
WScript.Echo "AllowCookies: " & objItem.AllowCookies
```

```
WScript.Echo "AuthenticationScheme: " & objItem.AuthenticationScheme
```

```
WScript.Echo "BypassProxyOnLocal: " & objItem.BypassProxyOnLocal
```

```
WScript.Echo "HostNameComparisonMode: " & objItem.HostNameComparisonMode
```

```
WScript.Echo "KeepAliveEnabled: " & objItem.KeepAliveEnabled
```

```
WScript.Echo "ManualAddressing: " & objItem.ManualAddressing
```

```
WScript.Echo "MaxBufferPoolSize: " & objItem.MaxBufferPoolSize
```

```
WScript.Echo "MaxBufferSize: " & objItem.MaxBufferSize
```

```
WScript.Echo "MaxReceivedMessageSize: " & objItem.MaxReceivedMessageSize
```

```
WScript.Echo "ProxyAddress: " & objItem.ProxyAddress
```

```
WScript.Echo "ProxyAuthenticationScheme: " & objItem.ProxyAuthenticationScheme
```

```
WScript.Echo "Realm: " & objItem.Realm
```

```
WScript.Echo "RequireClientCertificate: " & objItem.RequireClientCertificate
```

```
WScript.Echo "Scheme: " & objItem.Scheme
```

```
WScript.Echo "TransferMode: " & objItem.TransferMode
```

```
WScript.Echo "UnsafeConnectionNtlmAuthentication: " & objItem.UnsafeConnectionNtlmAuthentication
```

```
WScript.Echo "UseDefaultWebProxy: " & objItem.UseDefaultWebProxy
```

```
WScript.Echo
```

```
Next
```

```
Next
```