

Content of WMI PeerTransportBindingElement Query.js (Site 1)

```
var wbemFlagReturnImmediately = 0x10;
var wbemFlagForwardOnly = 0x20;

var arrComputers = new Array("");
for (i = 0; i < arrComputers.length; i++) {
    WScript.Echo();
    WScript.Echo("=====");
    WScript.Echo("Computer: " + arrComputers[i]);
    WScript.Echo("=====");

    var objWMIService = GetObject("winmgmts:\\\\" + arrComputers[i] + "\\root\\ServiceModel");
    var collItems = objWMIService.ExecQuery("SELECT * FROM PeerTransportBindingElement", "WQL",
        wbemFlagReturnImmediately | wbemFlagForwardOnly);

    var enumItems = new Enumerator(collItems);
    for (; !enumItems.atEnd(); enumItems.moveNext()) {
        var objItem = enumItems.item();

        WScript.Echo("ListenIPAddress: " + objItem.ListenIPAddress);
        WScript.Echo("ManualAddressing: " + objItem.ManualAddressing);
        WScript.Echo("MaxBufferPoolSize: " + objItem.MaxBufferPoolSize);
        WScript.Echo("MaxReceivedMessageSize: " + objItem.MaxReceivedMessageSize);
        WScript.Echo("Port: " + objItem.Port);
        WScript.Echo("Scheme: " + objItem.Scheme);
        WScript.Echo("Security: " + objItem.Security);
    }
}
```