

Content of WMI Win32_ODBCSourceAttribute Query.js (Site 1)

```
var wbemFlagReturnImmediately = 0x10;
var wbemFlagForwardOnly = 0x20;

var arrComputers = new Array(".");
for (i = 0; i < arrComputers.length; i++) {
    WScript.Echo();
    WScript.Echo("=====");
    WScript.Echo("Computer: " + arrComputers[i]);
    WScript.Echo("=====");

    var objWMIService = GetObject("winmgmts:\\\\" + arrComputers[i] + "\\root\\CIMV2");
    var collItems = objWMIService.ExecQuery("SELECT * FROM Win32_ODBCSourceAttribute", "WQL",
        wbemFlagReturnImmediately | wbemFlagForwardOnly);

    var enumItems = new Enumerator(collItems);
    for (; !enumItems.atEnd(); enumItems.moveNext()) {
        var objItem = enumItems.item();

        WScript.Echo("Attribute: " + objItem.Attribute);
        WScript.Echo("Caption: " + objItem.Caption);
        WScript.Echo("DataSource: " + objItem.DataSource);
        WScript.Echo("Description: " + objItem.Description);
        WScript.Echo("SettingID: " + objItem.SettingID);
        WScript.Echo("Value: " + objItem.Value);
    }
}
```