

Content of WMI Win32_ProtocolBinding Query.js (Site 1)

```
var wbemFlagReturnImmediately = 0x10;
var wbemFlagForwardOnly = 0x20;

var arrComputers = new Array(".");
for (i = 0; i < arrComputers.length; i++) {
    WScript.Echo();
    WScript.Echo("=====");
    WScript.Echo("Computer: " + arrComputers[i]);
    WScript.Echo("=====");

var objWMIService = GetObject("winmgmts:\\" + arrComputers[i] + "\root\CIMV2");
var colItems = objWMIService.ExecQuery("SELECT * FROM Win32_ProtocolBinding", "WQL",
    wbemFlagReturnImmediately | wbemFlagForwardOnly);

var enumItems = new Enumerator(colItems);
for (; !enumItems.atEnd(); enumItems.moveNext()) {
    var objItem = enumItems.item();

    WScript.Echo("Antecedent: " + objItem.Antecedent);
    WScript.Echo("Dependent: " + objItem.Dependent);
    WScript.Echo("Device: " + objItem.Device);
}

}

var enumItems = new Enumerator(colItems);
for (; !enumItems.atEnd(); enumItems.moveNext()) {
    var objItem = enumItems.item();

    WScript.Echo("Antecedent: " + objItem.Antecedent);
    WScript.Echo("Dependent: " + objItem.Dependent);
    WScript.Echo("Device: " + objItem.Device);
}
```